

# Reading List for Biological Vision Lecture

This list contains all the papers cited in the lecture, and other relevant papers.

## General References

Webvision online tutorial: <http://webvision.med.utah.edu/>  
Dayan, P. & Abbott, L.F., *Theoretical Neuroscience: Computational and Mathematical Modeling of Neural Systems*. MIT Press.

## Hermann grid illusion

- Baumgartner (1960). Indirekte Größenbestimmung der rezeptiven Felder der Retina beim Menschen mittels der Hermannschen Gittertäuschung. *Pflugers Archiv für die Gesamte Physiologie des Menschen und der Tiere*, **272**, 21–22.
- Hermann, L. (1870). Eine Erscheinung simultanen Contrastes. *Pflugers Archiv für die Gesamte Physiologie des Menschen und der Tiere*, **3**, 13–15.
- Geier, J., Bernáth, L., Hudák, M. & Séra, L. (2008). Straightness as the main factor of the Hermann grid illusion. *Perception*, **37**, 651–665.
- Schrauf M., Lingelbach B. & Wist E. (1997). The scintillating grid illusion. *Vision Research*, **37**, 1033–1038.
- Spillmann, L. (1994). The Hermann grid illusion: A tool for studying human perceptive field organization. *Perception*, **23**, 691–708.
- Troscianko, T. (1982). A given visual field location has a wide range of perceptive field sizes. *Vision Research*, **22**, 1363–1369.
- Wist, E.R. (1976). Dark adaptation and the Hermann grid illusion. *Perception & Psychophysics*, **20**, 10–12.

## Other visual illusions

- Corney, D. & Lotto, R.B. (2007). What are lightness illusions and why do we see them? *PLoS Computational Biology*, **3**(9): e180.
- Gregory, R.L. (1968). Perceptual Illusions and Brain Models. *Proceedings of the Royal Society of London B*, **171**, 279–296.
- Howe, C.Q. & Purves, D. (2005). The Müller-Lyer illusion explained by the statistics of image–source relationships. *Proceedings of the National Academy of Sciences of the United States of America*, **102**, 1234–1239.
- Lotto, R.B. & Purves, D. (2000). An empirical explanation of color contrast. *Proceedings of the National Academy of Sciences of the United States of America*, **97**, 12834–12839.
- Lotto, R.B., Williams, S.M. & Purves, D. (2000). An empirical basis for Mach bands. *Proceedings of the National Academy of Sciences of the United States of America*, **96**, 5239–5244.
- Lotto, R.B., Williams, S.M. & Purves, D. (2000). Mach bands as empirically derived associations. *Proceedings of the National Academy of Sciences of the United States of America*, **96**, 5245–5250.
- Müller-Lyer, F. C. (1889) Optische Urteilstauschungen. *Archiv für Anatomie und Physiologie, Physiologische Abteilung*, **2**, 263–270.

- Purves, D., Lotto, R.B., Williams, S.M., Nundy, S. & Yang, Z. (2001). Why we see things the way we do: Evidence for a wholly empirical strategy of vision. *Philosophical Transactions of the Royal Society of London B*, **356**, 285–297.
- Purves, D., Williams, S.M., Nundy, S. and Lotto, R.B. (2004). Perceiving the intensity of light. *Psychological Review*, **111**, 142–158.
- Shepard, R. N. (1981) Psychophysical complementarity. in Kubovy, M. and Pomeranz, J. (Eds.), *Perceptual Organization*, Hillsdale, NJ: Lawrence Erlbaum Associates, pp. 279–341.

## **Anatomy**

- Jonas, J.B., Schneider, U., Naumann, G.O.H. Count and density of human retinal photoreceptors. *Graefe's Archive for Clinical and Experimental Ophthalmology*, **230**, 505–510.
- Ogden, T.E., & Miller, R.F. (1966). Studies of the optic nerve of the rhesus monkey: Nerve fiber spectrum and physiological properties. *Vision Research*, **6**, 485–506.

## **Colour**

- Buchsbaum, G. & Gottschalk, A. (1983). Trichromacy, opponent colours coding and optimum colour information transmission in the retina. *Proceedings of the Royal Society of London B* **220**, 89–113.
- Dartnall, H. J.A., Bowmaker, J.K. and Mollon, J. D. (1983). Human visual pigments: microspectrophotometric results from the eyes of seven persons. *Proceedings of the Royal Society of London B*, **220**, 115–130.
- Field, G.D., Gauthier, J.L., Sher, A., Greschner, M., Machado, T.A., Jepson, L.H., Shlens, J., Gunning, D.E., Mathieson, K., Dabrowski, W., Paninski, L., Litke, A.M., Chichilnisky, E.J. (2010). Functional connectivity in the retina at the resolution of photoreceptors. *Nature*, **467**, 673–677.
- Gegenfurtner, K.R., Kiper, D.C. (2003). Color Vision. *Annual Review of Neuroscience*, **26**, 181–206.
- Hering, E. (1920/1964). *Outlines of a theory of the light sense*. Translated by L.M. Hurvich & D. Jameson. Cambridge, MA: Harvard University Press.
- Ruderman, D.L., Cronin, T.W., Chiao, C.-C. (1998). Statistics of cone responses to natural images: implications for visual coding. *Journal of the Optical Society of America A*, **15**, 2036–2045.
- Young, T. (1802). The Bakerian Lecture: On the Theory of Light and Colours. *Philosophical Transactions of the Royal Society of London*, **92**, 12–48
- Young, T. (1807). *A Course of Lectures on Natural Philosophy and the Mechanical Arts*. London: Johnson.

## **Efficient coding and natural image statistics**

- Atick, J.J. & Redlich, A.N. (1990). Towards a theory of early visual processing. *Neural Computation*, **2**, 308–320.
- Atick, J.J. & Redlich, A.N. (1992). What does the retina know about natural scenes? *Neural Computation*, **4**, 196–210.

- Barlow, H.B. (1961). Possible principles underlying the transformations of sensory messages. In *Sensory Communication*, W. Rosenblith (Ed.), M.I.T. Press, pp. 217–234.
- Field, D.J. (1987). Relations between the statistics of natural images and the response properties of cortical cells. *Journal of the Optical Society of America A*, **4**, 2379–2394.
- Laughlin, S.B. (1981). A simple coding procedure enhances a neuron's information capacity. *Zeitschrift für Naturforschung*, **36c**, 910–912.
- Laughlin, S.B. (1983). Matching coding to scenes to enhance efficiency. In: *Physical and Biological Processing of Images* (O. J. Braddick and A. Sleigh, eds) pp. 42–52. Springer, Berlin.
- Laughlin, S.B. (1994). Matching coding, circuits, cells, and molecules to signals: General principles of retinal design in the fly's eye. *Progress in Retinal and Eye Research*, **13**, 165–195.
- Laughlin, S.B. (2001). Energy as a constraint on the coding and processing of sensory information. *Current Opinion in Neurobiology*, **11**, 475–480.
- Shannon, C. E. (1948). A mathematical theory of communication, *Bell System Technical Journal*, **27**, 379–423 and 623–656.
- Srinivasan, M.V., Laughlin, S.B. & Dubs, A. (1982). Predictive coding: A fresh view of inhibition in the retina. *Proceedings of the Royal Society of London B*, **216**, 427–459.

## **Ganglion cell electrophysiology**

- Alpern (1984). On Presentation of the Friedenwald Award in Ophthalmology to Christina Enroth-Cugell and John G. Robson. *Investigative Ophthalmology and visual science*, **25**, 245–249.
- Barlow, H.B., Fitzhugh, R., & Kuffler, S.W. (1957). Change of organization in the receptive fields of the cat's retina during dark adaptation. *Journal of Physiology*, **137**, 338–354.
- Enroth-Cugell, C. & Robson, J.G. (1966). The contrast sensitivity of retinal ganglion cells of the cat. *Journal of Physiology*, **187**, 517–552.
- Enroth-Cugell, C. & Robson, J.G. (1984). Functional characteristics and diversity of cat retinal ganglion cells. *Investigative Ophthalmology and visual science*, **25**, 250–267.
- Granit, R. (1948). Neural organization of the retinal elements, as revealed by polarization. *Journal of Neurophysiology*, **11** 239–251.
- Hartline, H.K. (1938). The response of single optic nerve fibers of the vertebrate eye to illumination of the retina. *American Journal of Physiology*, **121**, 400–415.
- Hartline, H.K. (1967). Visual receptors and retinal interaction. *Science*, **164**, 270–278. (Nobel Lecture)
- Hubel, D.H. & Wiesel, T.N. (1960). Receptive fields of optic nerve fibres in the spider monkey. *Journal of Physiology*, **154**, 572–580.
- Kaplan, E., Marcus, S., So, Y.T. (1979). Effects of dark adaptation on spatial and temporal properties of receptive fields in cat lateral geniculate nucleus. *Journal of Physiology*, **294**, 561–580.
- Kuffler, S.W. (1953). Discharge patterns and functional organization of mammalian retina. *Journal of Neurophysiology*, **16**, 37–68.
- Wiesel, T.N. (1959). Recording inhibition and excitation in the cat's retinal ganglion cells with intracellular electrodes. *Nature*, **183**, 264–265.

## **V1 cell electrophysiology**

- Hubel, D.H. & Wiesel, T.N. (1959). Receptive fields of single neurones in the cat's striate cortex. *Journal of Physiology*, **148**, 574–591.
- Hubel, D.H. & Wiesel, T.N. (1962). Receptive fields, binocular interaction and functional architecture in the cat's visual cortex. *Journal of Physiology*, **160**, 106–154.
- Hubel, D.H. & Wiesel, T.N. (1968). Receptive fields and functional architecture of monkey striate cortex. *Journal of Physiology*, **195**, 215–243.
- Hubel, D. H. & Wiesel, T. N. (1977). Ferrier lecture: Functional architecture of macaque monkey visual cortex. *Proceedings of the Royal Society of London B*, **198**, 1–59.
- Hubel, D. H. & Wiesel, T. N. (1998). Early Exploration of the Visual Cortex. *Neuron*, **20**, 401–412.

## **Edge processing**

- Boyer, K. L. & Sarkar, S. (1994). On the localization performance measure and optimal edge detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **16**, 106–110.
- Canny, J.F. (1986). A computational approach to edge detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **8**, 679–698.
- Elder, J. H. (1999). Are edges incomplete? *International Journal of Computer Vision*, **34**, 97–122.
- Elder, J. H. & Zucker, S. W. (1998). Local scale control for edge detection and blur estimation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **20**, 699–716.
- Georgeson, M. A. (1992). Human vision combines oriented filters to compute edges. *Proceedings of the Royal Society of London B*, **249**, 235–245.
- Georgeson, M. A. (1998). Edge-finding in human vision: A multi-stage model based on the perceived structure of plaids. *Image and Vision Computing*, **16**, 389–405.
- Georgeson, M. A. & Freeman, T. C. A. (1997). Perceived location of bars and edges in one-dimensional images: Computational models and human vision. *Vision Research*, **37**, 127–142.
- Georgeson, M. A., May, K. A., Freeman, T. C. A., & Hesse, G. S. (2007). From filters to features: Scale-space analysis of edge and blur coding in human vision. *Journal of Vision*, **7**(13):7, 1–21.
- Hueckel, M. H. (1971). An operator which locates edges in digitized pictures. *Journal of the Association for Computing Machinery*, **18**, 113–125.
- Kingdom, F. & Moulden, B. (1992). A multi-channel approach to brightness coding. *Vision Research*, **32**, 1565–1582.
- Koenderink, J. J. (1984). The structure of images. *Biological Cybernetics*, **50**, 363–370.
- Koplowitz, J. & Greco, V. (1994). On the edge location error for local maximum and zero-crossing edge detectors. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **16**, 1207–1212.
- Lindeberg, T. (1996). Edge detection and ridge detection with automatic scale selection. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition* (pp. 465–470). San Francisco.

- Lindeberg, T. (1998a). Feature detection with automatic scale selection. *International Journal of Computer Vision*, **30**, 79–116.
- Lindeberg, T. (1998b). Edge detection and ridge detection with automatic scale selection. *International Journal of Computer Vision*, **30**, 117–154.
- Marr, D. (1976). Early processing of visual information. *Philosophical Transactions of the Royal Society of London B*, **275**, 483–519.
- Marr, D. & Hildreth, E. (1980). Theory of edge detection. *Proceedings of the Royal Society of London B*, **207**, 187–217.
- May, K. A. & Georgeson, M. A. (2007a). Blurred edges look faint, and faint edges look sharp: The effect of a gradient threshold in a multi-scale edge coding model. *Vision Research*, **47**, 1705–1720.
- May, K. A. & Georgeson, M. A. (2007b). Added luminance ramp alters perceived edge blur and contrast: A critical test for derivative-based models of edge coding. *Vision Research*, **47**, 1721–1731.
- McIlhagga, W. (2011). The Canny edge detector revisited. *International Journal of Computer Vision*, **91**, 251–261.
- McIlhagga, W. H. & May, K. A. (2012). Optimal edge filters explain human blur detection. *Journal of Vision*, **12**(10):9, 1–13.
- Sarkar, S. & Boyer, K. L. (1991). On optimal infinite impulse response edge detection filters. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **13**, 1154–1171.
- Tagare, H. D. & deFigueiredo, R. J. P. (1990). On the localization performance measure and optimal edge detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **12**, 1186–1190.
- Tagare, H. D. & deFigueiredo, R. J. P. (1994). On the localization performance measure and optimal edge detection – reply. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **16**, 108–110.
- Watt, R. J. & Morgan, M. J. (1985). A theory of the primitive spatial code in human vision. *Vision Research*, **25**, 1661–1674.
- Witkin, A. P. (1983). Scale-space filtering. In *Proceedings of the International Joint Conference on Artificial Intelligence* (pp. 1019–1022). Karlsruhe, Germany.